

LeaveDays OData API

Version 0.0.1

[https://{url}/odata/Weeks\('{key}'\)](https://{url}/odata/Weeks('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Weeks\('2014-46'\)](https://example.leavedays.com/odata/Weeks('2014-46'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Weeks/$entity",
  "WeekId": "2014-46",
  "Year": 2014,
  "WeekNr": 46,
  "FirstDate": "2014-11-10T00:00:00+01:00",
  "LastDate": "2014-11-17T00:00:00+01:00"
}
```

[https://{url}/odata/Weeks\('{key}'\)/Events](https://{url}/odata/Weeks('{key}')/Events)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Weeks\('2014-46'\)/Events](https://example.leavedays.com/odata/Weeks('2014-46')/Events)

Response:

```
{
  "@odata.context": "https://example.leavedays.com /odata/$metadata#Events",
  "value": [
    {
      "EventId": "172!5364",
      "Period": {
        "Begin": "2014-11-13T08:30:00+01:00",
        "End": "2014-11-13T17:00:00+01:00",
        "Value": 480
      }
    },
  ],
}
```

```
"Description": "",
"Balancelid": "149!35",
"LeaveName": "Normaal verlof",
"LeaveTypelid": "142!19",
"UsesmallBreakMoring": false,
"UsesmallBreakAfternoon": false,
"SmallBreakMorning": 0,
"SmallBreakAfternoon": 0
```

```
},
```

```
{
```

```
"EventId": "172!5376",
"Period": {
  "Begin": "2014-11-13T08:30:00+01:00",
  "End": "2014-11-13T17:00:00+01:00",
  "Value": 480
```

```
},
```

```
"Description": "",
"Balancelid": "149!62",
"LeaveName": "Normaal verlof",
"LeaveTypelid": "142!19",
"UsesmallBreakMoring": false,
"UsesmallBreakAfternoon": false,
"SmallBreakMorning": 0,
"SmallBreakAfternoon": 0
```

```
}
```

```
]
```

```
}
```

[https://{url}/odata/Weeks\('{key}'\)/Requests](https://{url}/odata/Weeks('{key}')/Requests)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Weeks\('2014-46'\)/Requests](https://example.leavedays.com/odata/Weeks('2014-46')/Requests)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests",
  "value": [
    {
      "RequestId": "67!4990",
      "State": "in_aanvraag",
      "RequestedOn": "2014-11-12T15:06:55.827+01:00",
      "IsOverTime": false,
      "AutoApprove": false,
      "Employee": "98!185",
      "Reason": "",
      "Total": 480
    }
  ]
}
```

<https://{url}/odata/Administrations>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Administrations>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Administrations",
  "value": [
    {
      "AdministrationId": "128!4",
      "Name": "Debug-sprint-27"
    }
  ]
}
```

[https://{url}/odata/Administrations\('{key}'\)](https://{url}/odata/Administrations('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Administrations\('128!4'\)](https://example.leavedays.com/odata/Administrations('128!4'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Administrations/$entity",
  "AdministrationId": "128!4",
  "Name": "Debug-sprint-27"
}
```

[https://{url}/odata/Administrations\('{key}'\)/Departments](https://{url}/odata/Administrations('{key}')/Departments)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Administrations\('128!4'\)/Departments](https://example.leavedays.com/odata/Administrations('128!4')/Departments)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Departments",
  "value": [
    {
      "DepartmentId": "70!29",
      "Name": "Default",
      "AdministrationId": "128!4"
    },
    {
      "DepartmentId": "70!4010",
      "Name": "nog een afdeling",
      "AdministrationId": "128!4"
    }
  ]
}
```

[https://{url}/odata/Administrations\('{key}'\)/LeaveTypes](https://{url}/odata/Administrations('{key}')/LeaveTypes)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Administrations\('128!4'\)/LeaveTypes](https://example.leavedays.com/odata/Administrations('128!4')/LeaveTypes)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#LeaveTypes",
  "value": [
    {
      "LeaveTypeId": "142!19",
      "AdministrationId": "128!4",
      "Name": "Normaal verlof",
      "IsOverTime": false
    },
    {
      "LeaveTypeId": "142!21",
      "AdministrationId": "128!4",
      "Name": "Buitengewoon verlof",
      "IsOverTime": false
    },
    {
      "LeaveTypeId": "142!23",
      "AdministrationId": "128!4",
      "Name": "ATV",
      "IsOverTime": false
    },
    {
      "LeaveTypeId": "142!25",
```

```
    "AdministrationId": "128!4",
    "Name": "Arts bezoek e.d.",
    "IsOverTime": false
  },
  {
    "LeaveTypeld": "142!27",
    "AdministrationId": "128!4",
    "Name": "Tijd voor tijd",
    "IsOverTime": true
  },
  {
    "LeaveTypeld": "142!2915",
    "AdministrationId": "128!4",
    "Name": "Ziek",
    "IsOverTime": false
  }
]
}
```


<https://{url}/odata/Departments>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Departments>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Departments",
  "value": [
    {
      "DepartmentId": "70!29",
      "Name": "Default",
      "AdministrationId": "128!4"
    },
    {
      "DepartmentId": "70!4010",
      "Name": "nog een afdeling",
      "AdministrationId": "128!4"
    }
  ]
}
```

[https://{url}/odata/Departments\('{key}'\)](https://{url}/odata/Departments('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Departments\('70!29'\)](https://example.leavedays.com/odata/Departments('70!29'))

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Departments/\$entity",  
  "DepartmentId": "70!29",  
  "Name": "Default",  
  "AdministrationId": "128!4"  
}
```

[https://{url}/odata/Departments\('{key}'\)/Administration](https://{url}/odata/Departments('{key}')/Administration)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Departments\('70!29'\)/Administration](https://example.leavedays.com/odata/Departments('70!29')/Administration)

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Administrations/\$entity",  
  "AdministrationId": "128!4",  
  "Name": "Debug-sprint-27"  
}
```

<https://{url}/odata/Events>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Events>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Events",
  "value": [
    {
      "EventId": "172!5480",
      "Period": {
        "Begin": "2014-11-24T08:30:00+01:00",
        "End": "2014-11-24T17:00:00+01:00",
        "Value": 480
      },
      "Description": "",
      "BalanceId": "149!189",
      "LeaveName": "Normaal verlof",
      "LeaveType": "142!19",
      "UsesSmallBreakMorning": false,
      "UsesSmallBreakAfternoon": false,
      "SmallBreakMorning": 0,
      "SmallBreakAfternoon": 0
    },
    {
      "EventId": "172!5326",
      "Period": {
        "Begin": "2014-11-26T17:00:00+01:00",
```

"End": "2014-11-26T19:00:00+01:00",

"Value": 120

},

"Description": "gh",

"Balancelid": "149!201",

"LeaveName": "Tijd voor tijd",

"LeaveTypeld": "142!27",

"UsesmallBreakMoring": false,

"UsesmallBreakAfternoon": false,

"SmallBreakMorning": 0,

"SmallBreakAfternoon": 0

}

]

}

[https://{url}/odata/Events\('{key}'\)](https://{url}/odata/Events('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Events\('172!5480'\)](https://example.leavedays.com/odata/Events('172!5480'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Events/$entity",
  "EventId": "172!5480",
  "Period": {
    "Begin": "2014-11-24T08:30:00+01:00",
    "End": "2014-11-24T17:00:00+01:00",
    "Value": 480
  },
  "Description": "",
  "BalanceId": "149!189",
  "LeaveName": "Normaal verlof",
  "LeaveTypeId": "142!19",
  "UsesSmallBreakMorning": false,
  "UsesSmallBreakAfternoon": false,
  "SmallBreakMorning": 0,
  "SmallBreakAfternoon": 0
}
```

[https://{url}/odata/Events\('{key}'\)/Employee](https://{url}/odata/Events('{key}')/Employee)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Events\('172!5480'\)/Employee](https://example.leavedays.com/odata/Events('172!5480')/Employee)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Employees/$entity",
  "EmployeeId": "98!185",
  "UserName": "medewerker1",
  "FirstName": "medewerker",
  "MiddleName": "",
  "LastName": "1",
  "EmployeeNumber": null,
  "DateOfBirth": "1990-01-01T00:00:00+01:00",
  "Email": "medewerker1@test-debug.cp",
  "HireDate": "2014-01-01T00:00:00+01:00",
  "DischargeDate": null,
  "AuthorizerId": "98!58",
  "DepartmentId": "70!29",
  "Position": "medewerker",
  "Roles": "medewerker",
  "Remarks": "",
  "ShowInCalendar": 0,
  "ShowBalanceIn": "Default",
  "CurrentContractName": "Standaard",
  "CurrentScheduleName": "Default",
  "CurrentPercentage": 100,
  "Region": null,
```

```
"UseOnlyRegion": false,  
"RegionId": "",  
"CurrentContractId": "85!18",  
"CurrentScheduleId": "114!9"  
}
```

[https://{url}/odata/Events\('{key}'\)/Balance](https://{url}/odata/Events('{key}')/Balance)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Events\('172!5480'\)/Balance](https://example.leavedays.com/odata/Events('172!5480')/Balance)

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Balances/\$entity",  
  "BalanceId": "149!189",  
  "Balance": "21d",  
  "Category": "Normaal verlof",  
  "Start": "2014-01-01T00:00:00+01:00",  
  "End": "2015-01-01T00:00:00+01:00",  
  "Closed": false  
}
```

<https://{url}/odata/Requests>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Requests>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Requests",
  "value": [
    {
      "RequestId": "67!478",
      "State": "goedgekeurd",
      "RequestedOn": "2014-05-22T12:37:48.763+02:00",
      "IsOverTime": false,
      "AutoApprove": false,
      "Employee": "98!58",
      "Reason": "",
      "Total": 1920
    },
    {
      "RequestId": "67!488",
      "State": "goedgekeurd",
      "RequestedOn": "2014-05-22T12:38:09.333+02:00",
      "IsOverTime": false,
      "AutoApprove": false,
      "Employee": "98!58",
      "Reason": "",
      "Total": 1920
    }
  ]
}
```



```
]
}
```

POST
Function

Example

Call: <https://example.leavedays.com/odata/Requests>

Data:

```
{
  AutoApprove: false,
  Employee: "98!185",
  Events: [
    {
      BalancelId: "149!189",
      Description: "",
      Period:
        {
          Begin: "2014-11-21T07:30:00.000Z",
          End: "2014-11-21T16:00:00.000Z",
          Value: 480
        },
      SmallBreakAfternoon: 0,
      SmallBreakMorning: 0,
      UsesmallBreakAfternoon: false,
      UsesmallBreakMoring: false
    }
  ],
  IsOverTime: false,
  Reason: "",
  RequestId: "",
  Total: 480
}
```

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests/$entity",
  "RequestId": "67!5746",
  "State": "in_aanvraag",
  "RequestedOn": "2014-11-28T14:48:08.4936248+01:00",
  "IsOverTime": false,
  "AutoApprove": false,
  "Employee": "98!185",
  "Reason": "",
  "Total": 480
}
```

[https://{url}/odata/Requests\('{key}'\)](https://{url}/odata/Requests('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Requests\('67!5746'\)](https://example.leavedays.com/odata/Requests('67!5746'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests/$entity",
  "RequestId": "67!5746",
  "State": "in_aanvraag",
  "RequestedOn": "2014-11-28T14:48:08.4936248+01:00",
  "IsOverTime": false,
  "AutoApprove": false,
  "Employee": "98!185",
  "Reason": "",
  "Total": 480
}
```

[`https://{url}/odata/Requests\('{key}'\)/Service.Approve\(\)`](https://{url}/odata/Requests('{key}')/Service.Approve())

NOT DONE

[`https://{url}/odata/Requests\('{key}'\)/Service.Reject\(\)`](https://{url}/odata/Requests('{key}')/Service.Reject())

NOT DONE

[https://{url}/odata/Requests\('{key}'\)/Events](https://{url}/odata/Requests('{key}')/Events)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Requests\('67!5746'\)/Events](https://example.leavedays.com/odata/Requests('67!5746')/Events)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Events",
  "value": [
    {
      "EventId": "172!5745",
      "Period": {
        "Begin": "2014-11-21T08:30:00+01:00",
        "End": "2014-11-21T17:00:00+01:00",
        "Value": 480
      },
      "Description": "",
      "Balancelid": "149!189",
      "LeaveName": "Normaal verlof",
      "LeaveTypelid": "142!19",
      "UsesmallBreakMoring": false,
      "UsesmallBreakAfternoon": false,
      "SmallBreakMorning": 0,
      "SmallBreakAfternoon": 0
    }
  ]
}
```

<https://{url}/odata/Employees>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Employees>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Employees",
  "value": [
    {
      "EmployeeId": "98!31",
      "UserName": "admin",
      "FirstName": "ad",
      "MiddleName": "",
      "LastName": "min",
      "EmployeeNumber": null,
      "DateOfBirth": "1966-06-07T00:00:00+02:00",
      "Email": "example@compete.nl",
      "HireDate": "2014-01-01T00:00:00+01:00",
      "DischargeDate": null,
      "AuthorizerId": "98!31",
      "DepartmentId": "70!29",
      "Position": "",
      "Roles": "medewerker, manager, administratie, systeem beheer",
      "Remarks": "",
      "ShowInCalendar": 1,
      "ShowBalanceIn": "Default",
      "CurrentContractName": "Standaard",
      "CurrentScheduleName": "Default",
```

```
        "CurrentPercentage": 100,  
        "Region": "Schiedam",  
        "UseOnlyRegion": false,  
        "RegionId": "104!4012",  
        "CurrentContractId": "85!18",  
        "CurrentScheduleId": "114!9"  
    },etc.  
]  
}
```

[https://{url}/odata/Employees\('{key}'\)](https://{url}/odata/Employees('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Employees\('98!185'\)](https://example.leavedays.com/odata/Employees('98!185'))

Response:

```
{  
    "@odata.context": "https://example.leavedays.com/odata/\$metadata#Employees/\$entity",  
    "EmployeeId": "98!185",  
    "UserName": "medewerker1",  
    "FirstName": "medewerker",  
    "MiddleName": "",  
    "LastName": "1",  
    "EmployeeNumber": null,  
    "DateOfBirth": "1990-01-01T00:00:00+01:00",  
    "Email": "medewerker1@test-debug.cp",  
    "HireDate": "2014-01-01T00:00:00+01:00",  
    "DischargeDate": null,  
    "AuthorizerId": "98!58",  
    "DepartmentId": "70!29",  
}
```

```
"Position": "medewerker",  
"Roles": "medewerker",  
"Remarks": "",  
"ShowInCalendar": 0,  
"ShowBalanceIn": "Default",  
"CurrentContractName": "Standaard",  
"CurrentScheduleName": "Default",  
"CurrentPercentage": 100,  
"Region": null,  
"UseOnlyRegion": false,  
"RegionId": "",  
"CurrentContractId": "85!18",  
"CurrentScheduleId": "114!9"  
}
```

[https://{url}/odata/Employees\('{key}'\)/Authorizer](https://{url}/odata/Employees('{key}')/Authorizer)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Employees\('98!185'\)/Authorizer](https://example.leavedays.com/odata/Employees('98!185')/Authorizer)

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Authorizers/$entity",  
  "AuthorizerId": "98!58",  
  "Name": "1, manager"  
}
```

[https://{url}/odata/Employees\('{key}'\)/Department](https://{url}/odata/Employees('{key}')/Department)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Employees\('98!185'\)/Department](https://example.leavedays.com/odata/Employees('98!185')/Department)

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Departments/\$entity",  
  "DepartmentId": "70!29",  
  "Name": "Default",  
  "AdministrationId": "128!4"  
}
```


[https://{url}/odata/Employees\('{key}'\)/ContractChanges](https://{url}/odata/Employees('{key}')/ContractChanges)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Employees\('98!185'\)/ContractChanges](https://example.leavedays.com/odata/Employees('98!185')/ContractChanges)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#ContractChanges",
  "value": [
    {
      "ContractChangeId": "81!187",
      "ChangedOn": "2014-01-01T00:00:00+01:00",
      "Description": "Initial_Contract_Change",
      "EmployeeId": "98!185",
      "Employee": "1, medewerker",
      "ContractId": "85!18",
      "Contract": "Standaard",
      "ScheduleId": "114!9",
      "Schedule": "Default",
      "Percentage": 100
    }
  ]
}
```

[https://{url}/odata/Employees\('{key}'\)/Weeks\('{relatedKey}'\)](https://{url}/odata/Employees('{key}')/Weeks('{relatedKey}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Employees\('98!185'\)/Weeks\('2014-46'\)](https://example.leavedays.com/odata/Employees('98!185')/Weeks('2014-46'))

Response:

```
{
  "@odata.context":
  "https://example.leavedays.com/odata/\$metadata#Weeks/LeaveDays.\_2012.Web.Controllers.Api.OData.Models.EventOdm",
  "value": [
    {
      "@odata.type": "#LeaveDays._2012.Web.Controllers.Api.OData.Models.EventOdm",
      "EventId": "172!4587",
      "Period": {
        "Begin": "2014-11-14T08:30:00+01:00",
        "End": "2014-11-14T17:00:00+01:00",
        "Value": 480
      },
      "Description": "",
      "BalancelId": "149!189",
      "LeaveName": "Normaal verlof",
      "LeaveTypeld": "142!19",
      "UsesmallBreakMoring": false,
      "UsesmallBreakAfternoon": false,
      "SmallBreakMorning": 0,
      "SmallBreakAfternoon": 0
    },
    {
      "@odata.type": "#LeaveDays._2012.Web.Controllers.Api.OData.Models.EventOdm",
```

```
"EventId": "172!5299",  
"Period": {  
    "Begin": "2014-11-13T08:30:00+01:00",  
    "End": "2014-11-13T17:00:00+01:00",  
    "Value": 480
```

```
},
```

```
"Description": "",
```

```
"Balancelid": "149!189",
```

```
"LeaveName": "Normaal verlof",
```

```
"LeaveTypelid": "142!19",
```

```
"UsesmallBreakMoring": false,
```

```
"UsesmallBreakAfternoon": false,
```

```
"SmallBreakMoring": 0,
```

```
"SmallBreakAfternoon": 0
```

```
}, Etc.
```

```
]
```

```
}
```

<https://{url}/odata/ContractChanges>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ContractChanges>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#ContractChanges",
  "value": [
    {
      "ContractChangeId": "81!32",
      "ChangedOn": "2014-01-01T00:00:00+01:00",
      "Description": "Initial_Contract_Change",
      "EmployeeId": "98!31",
      "Employee": "min, ad",
      "ContractId": "85!18",
      "Contract": "Standaard",
      "ScheduleId": "114!9",
      "Schedule": "Default",
      "Percentage": 100
    }, Etc.
  ]
}
```

[https://{url}/odata/ContractChanges\('{key}'\)](https://{url}/odata/ContractChanges('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/ContractChanges\('81!32'\)](https://example.leavedays.com/odata/ContractChanges('81!32'))

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#ContractChanges/\$entity",  
  "ContractChangeId": "81!32",  
  "ChangedOn": "2014-01-01T00:00:00+01:00",  
  "Description": "Initial_Contract_Change",  
  "EmployeeId": "98!31",  
  "Employee": "min, ad",  
  "ContractId": "85!18",  
  "Contract": "Standaard",  
  "ScheduleId": "114!9",  
  "Schedule": "Default",  
  "Percentage": 100  
}
```

<https://{url}/odata/Owners>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Owners>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Owners",
  "value": [
    {
      "OwnerId": "98!31",
      "Name": "min, ad",
      "PendingRequestCount": 0
    }, Etc.
  ]
}
```

[https://{url}/odata/Owners\('{key}'\)](https://{url}/odata/Owners('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Owners\('98!185'\)](https://example.leavedays.com/odata/Owners('98!185'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Owners/$entity",
  "OwnerId": "98!185",
  "Name": "1, medewerker",
  "PendingRequestCount": 5
}
```

[https://{url}/odata/Owners\('{key}'\)/Balances](https://{url}/odata/Owners('{key}')/Balances)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Owners\('98!185'\)/Balances](https://example.leavedays.com/odata/Owners('98!185')/Balances)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Balances",
  "value": [
    {
      "BalanceId": "149!189",
      "Balance": "19d",
      "Category": "Normaal verlof",
      "Start": "2014-01-01T00:00:00+01:00",
      "End": "2015-01-01T00:00:00+01:00",
      "Closed": false
    }, Etc.
  ]
}
```

[https://{url}/odata/Owners\('{key}'\)/PendingRequests](https://{url}/odata/Owners('{key}')/PendingRequests)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Owners\('98!185'\)/PendingRequests](https://example.leavedays.com/odata/Owners('98!185')/PendingRequests)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests",
  "value": [
    {
      "RequestId": "141!5027",
      "State": "in_aanvraag",
      "RequestedOn": "2014-11-11T11:41:00.907+01:00",
      "IsOverTime": true,
      "AutoApprove": false,
      "Employee": "98!185",
      "Reason": "",
      "Total": 120
    }, Etc.
  ]
}
```


<https://{url}/odata/Users>

GET

Function

Example

Call: <https://example.leavedays.com/odata/Users>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Users",
  "value": [
    {
      "UserId": "98!31",
      "Name": "min, ad",
      "UserName": "admin"
    },
    {
      "UserId": "98!58",
      "Name": "1, manager",
      "UserName": "manager1"
    },
    }, Etc.
  ]
}
```

[https://{url}/odata/Users\('{key}'\)](https://{url}/odata/Users('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/Users\('98!31'\)](https://example.leavedays.com/odata/Users('98!31'))

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Users/\$entity",  
  "UserId": "98!31",  
  "Name": "min, ad",  
  "UserName": "admin"  
}
```

[https://{url}/odata/Users\('{key}'\)/Roles](https://{url}/odata/Users('{key}')/Roles)

GET

Function

Example

Call: [https://example.leavedays.com/odata/Users\('98!31'\)/Roles](https://example.leavedays.com/odata/Users('98!31')/Roles)

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Roles",
  "value": [
    {
      "RoleId": "113!0",
      "Name": "medewerker"
    },
    {
      "RoleId": "113!1",
      "Name": "manager"
    },
    {
      "RoleId": "113!2",
      "Name": "administratie"
    },
    {
      "RoleId": "113!3",
      "Name": "systeem beheer"
    }
  ]
}
```

<https://{url}/odata/LeaveTypes>

GET

Function

Example

Call: <https://example.leavedays.com/odata/LeaveTypes>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#LeaveTypes",
  "value": [
    {
      "LeaveTypeId": "142!19",
      "AdministrationId": "128!4",
      "Name": "Normaal verlof",
      "IsOverTime": false
    },
    {
      "LeaveTypeId": "142!21",
      "AdministrationId": "128!4",
      "Name": "Buitengewoon verlof",
      "IsOverTime": false
    },
    }, Etc.
  ]
}
```

[https://{url}/odata/LeaveTypes\('{key}'\)](https://{url}/odata/LeaveTypes('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/LeaveTypes\('142!19'\)](https://example.leavedays.com/odata/LeaveTypes('142!19'))

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/$metadata#LeaveTypes/$entity",  
  "LeaveTypeId": "142!19",  
  "AdministrationId": "128!4",  
  "Name": "Normaal verlof",  
  "IsOverTime": false  
}
```

<https://{url}/odata/ActiveAuthorizer>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ActiveAuthorizer>

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/$metadata#ActiveAuthorizer",  
  "AuthorizerId": "98!58",  
  "Name": "1, manager"  
}
```

<https://{url}/odata/ActiveAuthorizer/RequestsToBeAssessed>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ActiveAuthorizer/RequestsToBeAssessed>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests",
  "value": [
    {
      "RequestId": "141!5027",
      "State": "in_aanvraag",
      "RequestedOn": "2014-11-11T11:41:00.907+01:00",
      "IsOverTime": true,
      "AutoApprove": false,
      "Employee": "98!185",
      "Reason": "",
      "Total": 120
    }, Etc.
  ]
}
```

<https://{url}/odata/ActiveOwner>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ActiveOwner>

Response:

```
{  
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#ActiveOwner",  
  "OwnerId": "98!185",  
  "Name": "1, medewerker",  
  "PendingRequestCount": 5  
}
```

<https://{url}/odata/ActiveOwner/PendingRequests>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ActiveOwner/Balances>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/\$metadata#Balances",
  "value": [
    {
      "BalanceId": "149!189",
      "Balance": "19d",
      "Category": "Normaal verlof",
      "Start": "2014-01-01T00:00:00+01:00",
      "End": "2015-01-01T00:00:00+01:00",
      "Closed": false
    },Etc.
  ]
}
```


<https://{url}/odata/ActiveOwner/Balances>

GET

Function

Example

Call: <https://example.leavedays.com/odata/ActiveOwner/PendingRequests>

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Requests",
  "value": [
    {
      "RequestId": "141!5027",
      "State": "in_aanvraag",
      "RequestedOn": "2014-11-11T11:41:00.907+01:00",
      "IsOverTime": true,
      "AutoApprove": false,
      "Employee": "98!185",
      "Reason": "",
      "Total": 120
    }, Etc.
  ]
}
```

[https://{url}/odata/ActiveOwner/EventsInMonth\('{key}'\)](https://{url}/odata/ActiveOwner/EventsInMonth('{key}'))

GET

Function

Example

Call: [https://example.leavedays.com/odata/ActiveOwner/EventsInMonth\('2014-11'\)](https://example.leavedays.com/odata/ActiveOwner/EventsInMonth('2014-11'))

Response:

```
{
  "@odata.context": "https://example.leavedays.com/odata/$metadata#Events",
  "value": [
    {
      "EventId": "172!4587",
      "Period": {
        "Begin": "2014-11-14T08:30:00+01:00",
        "End": "2014-11-14T17:00:00+01:00",
        "Value": 480
      },
      "Description": "",
      "BalanceId": "149!189",
      "LeaveName": "Normaal verlof",
      "LeaveType": "142!19",
      "UsesSmallBreakMorning": false,
      "UsesSmallBreakAfternoon": false,
      "SmallBreakMorning": 0,
      "SmallBreakAfternoon": 0
    }, Etc.
  ]
}
```